

# **LogiLink**<sub>®</sub>

Outdoor 3-Way Outlet with Energy Cost Meter and LCD Display

Art. No.: EM0008



# Spot inefficient electrical equipment in your household or in the garden. Set timer to save power cleverly while tracking energy usage. Help you to reduce your energy costs and reduce your electricity bill.







3600 W Power



Overload Protection

1.4 m Cable

#### To Save Energy & Reduce Costs

Set the electricity tariff and you can check any appliance in the household or in the garden. Simply read the electricity consumption, electricity costs, duration of electricity consumption from the display.





# " " "



5 display modes with real-time power monitoring, easy to operate with 3 buttons.





Realtime Monitoring



Time-based Billing



Precise Measurement



#### Safe to Use

3x CEE 7/3 output sockets with safety shutter and overload protection.



1.4 m cable with CEE 7/7 Safety plug









## **Specification:**

Rated Voltage	230 V~ 50 Hz, 16 A, 3600 W max.
Output Sockets	3x safety sockets CEE 7/3
Type of Plug	Safety plug CEE 7/7
Standby Power Consumption	0.5 W
Type of Socket	German socket CEE 7/3
Measurement Accuracy	±2%
Power Display Range	0.0–9999 W
Voltage Display Range	000.0–9999 V
Energy Consumption Display	0.0–6553 kWh
Electrial Cost Setting Range	00.00–99.99 kWh
Total Cost Display	0.00–9999 €
With Overload Protection	Yes
With Safety Shutter	Yes
Protection Class	IP44
LCD Display Size	2"
Buttons	Mode, UP, Reset
LED	Red
Cable Specification	H05RR-F 3G 1.5 mm <sup>2</sup> , 1.4 m
Color	Black/Orange
Housing Material	PC
Operating Temperature	0–35°C
Operating Humidity	40–75% RH (non-condensing)
Dimensions	27.4 x 7 x 5.1 cm (without cable)
Weight	539 g

## **Package Contents:**

- » 1x Outdoor 3-way Outlet
- » 1x User Manual

# **Package Information:**

» Packing Dimension: 290 x 130 x 65 mm

» Packing Weight: 0.623 kg

» Carton Dimension: 540 x 345 x 315 mm

» Carton Q'ty: 20 pcs» Carton Weight: 11.45 kg





