



Socket LGA 775
 Supports Intel Core 2 Extreme/Core 2 Quad/Core 2 Duo/Pentium D/Pentium 4/Celeron 400 Series/Celeron D Processor
 Supports FSB 800/1066/1333MHz.
 Chipset: NVIDIA GeForce 7150

HIGHLIGHTS



MAIN



CPU SUPPORT

- Intel® Core™2 Extreme Processor
- Intel® Core™2 Quad Processor
- Intel® Core™2 Duo Processor
- Intel® Pentium® Dual-Core Processor
- Intel® Pentium® D Processor
- Intel® Pentium® 4 Processor
- Intel® Celeron® D Processor
- Intel® Celeron® Processor 400 Sequence
- Intel® Celeron® Processor

FSB

- Support FSB 800/1066/1333MHz

MEMORY

- Support DDR2 800 MHz
- 2 x DDR2 DIMM Memory Slot
- Max. Supports up to 4GB Memory

EXPANSION SLOT

- 2 x PCI Slots
- 1 x PCI-E x1 Slot
- 1 x PCI-E x16 Slot

STORAGE

- 4 x SATA2 3Gb/s Connector
- 1 x IDE Connector
- Support SATA RAID: 0,1,0+1,5

USB

- 4 x USB 2.0 Port
- 3 x USB 2.0 Header

GbE

- Realtek RTL8111B - 10/100/1000 Controller

INTEGRATED VIDEO

- NVIDIA GeForce 7150 GPU, On Board Graphic Max. Memory Share Up to 512MB(Under OS By Turbo Cache)),GPU Frequency @600MHz+

CODEC

- Realtek ALC888 8+2 Channel HD Audio

REAR I/O



- 1 x PS/2 Keyboard
- 4 x USB 2.0 Port
- 1 x HDMI Connector
- 1 x DVI Connector
- 1 x VGA Port

- 1 x RJ-45 Port
- 6 x Audio Connector

INTERNAL I/O

- 3 x USB 2.0 Header
- 4 x SATA2 3Gb/s Connector
- 1 x IDE Connector
- 1 x Floppy Connector
- 1 x Front Audio Header
- 1 x Front Panel Header
- 1 x CD-IN Header
- 1 x S/PDIF-OUT Header
- 1 x North Bridge FAN Header
- 1 x System FAN Header

DIMENSION

- Micro ATX Form Factor Dimension: 24.4cm X 24.4cm (W x L)

OS SUPPORT

- Support Windows XP / XP 64 / Vista / Vista 64

ACCESSORIES

- 1 x IDE Cable
- 1 x FDD Cable
- 2 x SATA Cable
- 1 x SATA Power Cable
- 1 x I/O Shield
- 1 x CD Driver
- 1 x User Manual



The specification and pictures are subject to change without notice and the package contents may differ by area or your motherboard version!