

# LogiLink®



## Dome Indoor/Outdoor IP Camera

with Night Vision & HD 720P  
IP66 Waterproof

Art. No.: WC0045

The integrated 720P Indoor/outdoor IP Camera with 1Megapixel solution, combining high quality digital video camera with network connectivity, and a powerful web server to bring clear images to your desktop from anywhere on your local network or over the Internet. With IP66 water-resistance, allowing you to monitor home or office through rough weather conditions.

### Features:

- » Ideal for both indoor and outdoor surveillance
- » High-sensitivity 1/4" CMOS sensor with 1 Megapixel
- » 24 IR LEDs illumination for night vision up to 30m
- » IP66 waterproof casing against water-blasting and dustproof
- » Multiple H.264, and Motion JPEG video streams
- » 30 fps at 1280 x 720
- » Multi-level users management and passwords definition
- » Supports image snapshot
- » Giving alarm of motion detection via email or APP
- » Supports Dynamic IP (DDNS) and UPNP LAN and Internet (ADSL, Cable Modem)
- » Compliant with ONVIF 2.0 standards
- » Free APP for both Android devices and iPhone; free software available for Windows/Mac OS

**Easy  
installation  
in 60s**



Free APP **Its Mycam** available to download:



For iOS




For Android

Utility for PC/Mac OS:

<http://www.logilink.de/media/driver/WC0045.zip>

Realtime viewing on PC/Mac:



WC0045



Made in China



RoHS  
compliant



\* The specifications and pictures are subject to change without notice.

\*All trade names referenced are the registered namework of their respective owners.

# LogiLink®



## Dome Indoor/Outdoor IP Camera

with Night Vision & HD 720P  
IP66 Waterproof

Art. No.: WC0045

### Specification:

Image Sensor	1/4" Color CMOS Sensor
Display Resolution	1280 x 720 Pixels (1Megapixel)
Lens	F2.0 f:3,6mm IR Lens
Minimum Illumination	0,5Lux
Viewing Angle	60 Degree
Infrared Light	24 IR LEDs 850nm
IR-CUT	With IR-CUT filter
Image Compression	H.264 and Motion JPEG
Image Frame Rate	30fps (VGA) 30fps (QVGA)
Resolution	1280 x 720 (HD) 640 x 480 (VGA) 320 x 240 (QVGA)
Flip Mirror Images	Vertical / Horizontal
Light Frequency	50Hz, 60Hz, Outdoor
Video Parameters	Brightness, Saturation, Contrast, Hue
Ethernet Interface	Build in 10/100Mbps, Auto MDI/MDIX, RJ-45
Supported Protocol	TCP/IP, HTTP, DNS, DHCP, PPPoE, SMTP, FTP, SSL, TFTP, NTP, ARP/ RARP NFS RTSP, RTP, RTCP
Compress Rate Level	128Kbps~4Mbps
Water Resistant	IP66 (Camera only)
Product Dimension	110 x 110 x 80mm
Product Weight	330g
Cable Length	800mm
Network Cable Length	1500mm
Power Adapter Length	1450mm
Power Supply	DC 5V/2A
Power Consumption	7 Watts (Max.)
Operate Temperature	0°C ~ 55°C (32°F ~ 131°F)



WC0045



Made in China



RoHS  
compliant



\* The specifications and pictures are subject to change without notice.

\*All trade names referenced are the registered namework of their respective owners.

# LogiLink®



## Dome Indoor/Outdoor IP Camera


with Night Vision & HD 720P  
IP66 Waterproof

Art. No.: WC0045

Operating Humidity	20% ~ 85% non-condensing
Storage Temperature	-10°C ~ 60°C (14°F ~ 140°F)
Storage Humidity	0% ~ 90% non-condensing

### PC System Requirements:

CPU	2.0GHz or above (suggested 3.0GHz)
Memory Size	256MB or above (suggested 1.0GHz)
Display Card	64M or above
Supported OS	Microsoft Windows 2000/XP/ Vista/7/8/10 and Mac OS X
Browser	IE6.0/7.0/8.0/Firefox/Safari/Google Chrome or other standard browsers



Monitor home or office through PC or smart device



WC0045



Made in China



RoHS  
compliant



\* The specifications and pictures are subject to change without notice.  
\* All trade names referenced are the registered trademark of their respective owners.


# LogiLink®



## Dome Indoor/Outdoor IP Camera

with Night Vision & HD 720P  
IP66 Waterproof

Art. No.: WC0045



### Package Contents:

- » 1 x IP Camera
- » 1 x Power Adapter
- » 1 x Network Cable
- » 1 x Screws Package
- » 1 x User Manual

### Package Informations:

- » Packing Dimension: 180 x 125 x 116mm
- » Packing Weight: kg
- » Carton Dimension: 270 x 600 x 200mm
- » Carton Q'ty: 10pcs
- » Carton Weight: kg



WC0045



Made in China



RoHS  
compliant



\* The specifications and pictures are subject to change without notice.  
\* All trade names referenced are the registered trademark of their respective owners.

Best Connectivity